



# SEVENTH INTERNATIONAL

*A Complete Magnetic Solution*

---

## MAGNETIC AND ELECTRO MAGNETIC CHUCK



C-69, DDA SHEDS, OKHLA INDUSTRIAL AREA,  
PHASE-I, NEAR NEW POLICE STATION,  
NEW DELHI-110020 -INDIA  
SALES@SEVOX.NET  
+91 9717123199 / +91 9582222365

---

---

## **INTRODUCTION:**

Seventh International provide a special range in Magnetic And Electro-magnetic Chuck. These Magnetic Chuck now uses the latest technology to ensure you of a higher quality, robust design with a high level of operator safety which is easy and safe to use whilst ensuring a longer service life. Chucks are available in various sizes in both magnetic and Electromagnetic.

## **SWIVEL MAGNETIC CHUCK:**

Our Swivel Magnetic Chuck is versatile and facilitates speedy production of blades. These are available in varied sizes as suited by the different industries. Equipped with high power magnetic pole, our Industrial Swivel Magnetic Chuck mounted upon the accurate and robust swivel support. Permanent Swivel Magnetic Chuck that we offer is in huge demand in the market of India.



## **ELECTRO PERM- CHUCK:**

Electro-Perm Chucks Outstanding magnetic and mechanical performance can be expected from our exclusive and durable range of Electro-Perm Chucks. These are geometrically stable with simple electrical pulse. Our Electro Permanent Chucks eradicate residual magnetism and have been fabricated for heavy duty operation like milling cut of 3 to 6 mm deep. Efficient magnetic clamping system assures better performance.



---

## **ROUND MAG - CHUCK SP,FP,MP:**

Electro-Perm Chucks Outstanding magnetic and mechanical performance can be expected from our exclusive and durable range of Electro-Perm Chucks. These are geometrically stable with simple electrical pulse. Our Electro Permanent Chucks eradicate residual magnetism and have been fabricated for heavy duty operation like milling cut of 3 to 6 mm deep. Efficient magnetic clamping system assures better performance.




## **FINE OR MICRO POLE MAG CHUK**

Fine or Micro Pole Mag Chuck We offer Micro Pole Mag Chuck in varied pole pitch ranging from 1.5 mm to 14 mm. The poles magnetized for entire loading power with 40-60% more pulling power and thus widely demanded in the market. Pole division in Fine Pole Mag Chuck is uniform and specifically designed for heavy duty cutting of mill scales.



## **ELE-MAG-CHUCK**



## **BALL CHUCK**



## **SINE CHUCK**



---

## **AVAILABLE TYPES/SIZES OF CHUCK:**

**NOTE: WE ARE MANUFACTURER WE ALSO DESIGN PRODUCT AS PER CUSTOMER'S SPECIFICATION.**

### **Electro Magnet Chuck STD. Pole**

Size- 100x400x95 mm  
Pole Pitch 25+3 mm  
Size: 200x450 mm  
Size: 350x750 mm  
Size: 300x1500 mm x 75mm  
Std Pole 25+3 mm  
Size: 450x600 mm  
Size: 400x750 mm  
Size: 600x300x95mm  
Pole Pich 25+3 mm std pole  
size: 600x300x95 mm  
Standard pole 25+3 (28 mm)  
input 110 Vdc  
Size 1000x115 mmx95 mm ht

### **Electro Magnet Chuck close. Pole**

Size: 150x450 mm  
Size: 200x450 mm  
Size: 250x450 mm  
Pole Pitch 15+3 Close poles  
Size: 250x600x95 mm  
15+3 Pole Close  
Dia 300 mm x 85 mm  
Pole Pitch 12+3 mm (15 mm)  
Size: 300x750 mm  
Size: 350x750 mm  
Size: 400x750  
Size: 400x800x95mm  
Pole Pitch 15+3 mm , Input 110 V Dc  
Size: 1000 x 115 mm x 95 mm ht

### **Electro Magnet Chuck close. Pole**

Size: 150x450 mm  
Size: 500x200mmxht 90 mm  
Size: 800x400x95mm  
Pole Pitch 4+2  
Size: 600x300 ht x70 mm  
Pole Pitch 4+1 mm, Input 110 V Dc  
Size: 1000x200 mm  
Pole 4+1 mm  
Size: 1500x300x100mm  
Pole Pitch 4+1 mm  
Size: 400x600 mm  
Controller  
Size: 1500x500 mm

### **Electro Magnet Chuck**

Size: 250x600x95 mm  
Size: 450x150xht x80 mm  
Size: 400x250 mm  
Size: 1000x400x85 ht mm  
Size: 1000x250 mm  
Size: 1500x150 mm  
Size: 250x1500x95 mm  
Size: 600x150x100 mm  
Input 24 Vdc  
Size: 900x150x100 mm  
Input 24 V dc

### **Electro Magnet Round Chuck**

Electro Round Chuck  
Size: Dia 600x85 ht  
Pole Pitch 15+3 mm (18 mm)

### **Round Chuck**

Dia 600x100 mm  
Pole pitch 4+1

### **Electro Magnet**

Size: Dia 50x25 mm  
95x60x30 mm  
125 mm x100 mm  
50x50x50 mm  
Dia 50x35 L  
Dia 35x35 L  
Electro Permanent Magnetic Pot  
Size: Dia 40x25 th  
Controller for Above

### **EPM Chucks**

Size: 300x200x65 mm  
No of poles 12  
  
Size: 315x315 mm  
No of Poles 16  
  
Size: 600x400 mm  
No of Poles 48  
  
Size: 800x300 mm  
No of Poles 40  
Size: 1000x500 mm  
  
Size: 800x500 mm  
No of Poles 70  
Size: 300x600 mm  
No of Poles 32

---

**EPM Chuck Std Pole**

Size: 1500x200 mm  
Pole Pitch 25+3 mm

**EPM Chuck Fine Pole**

Size: 1500x200 mm  
Pole Pitch 4+2 mm

**EPM Chuck Controller**

Size: 1500x200 mm  
Pole Pitch 4+2 mm

**Permanent Magnetic Chuck Close Pole  
Magnetic Chuck**

Size: 450x150x65 mm  
Pole Pitch 15 mm (12+3) mm  
Close Pole

Permanent Magnetic Chuck

Size: Dia 250x65 ht  
Pole Pitch Close Pole 15 mm(12+3)

Permanent Magnetic Chuck

Size: Dia 150x65 ht  
Pole Pitch Close Pole 15 mm(12+3)

Permanent Magnetic Chuck

Size: 300x150x60 ht , Pole Pitch 12+3 (15 mm)  
Close Pole End to end

Size: 350x150x50 mm  
close pole

Pole pitch 12+3 mm (15 mm)

Size: 200x450 mm  
Pole Pitch 15 mm

Close Pole

Size: 150x350

Size 150x400 mm  
Pole 12+3 (15mm)

Size: 200x500 mm

Size: 600x200 mmxht 65 mm

Size: 250 x500 mm

Size: 150x300 mm

Size: 200x450 mm

Size: 350x150 mm

Size: 200x300 mm

---

**Permanent Magnetic Chuck Std Pole**

Size: 200x450 mm  
Pole Pitch 28 mm

Pole Pitch 25+3 (28 mm)

Standard Pole End To End Pole

Permanent Magnetic Chuck

Std. Pole Size: 150x350

Size 1000x400x75 mm

pole Pitch 28 mm

25+3

Magnetic Chuck

Size: 150x300x60 ht , Pole Pitch 25+3  
(28 mm)

Standard Pole End To End

Magnetic Chuck

Size: 450x150x65 mm

Pole Pitch 28 mm (25+3 mm)

Standard Pole

Size: 250x350 mm

Standard Pole Pitch 25+3 (28 mm)

Size: 200x500 mm

Size: 300x300 mm

Size: 250x500 mm

Size: 250x600 mm

**Permanent Magnetic Chuck File Pole**

Size: 200x450 mm 4+2(6 mm)

**Permanent Magnetic Chuck**

Circular Chuck

Size: 125x90 mm

Magnetic Chuck

Size 450x150 mm

Size: 350x150 x60 mm

Size: 250x500mm x ht 65

Permanent Magnetic Chuck

Size: 300x150x60 ht

Power Supply Slip Ring carbon

---

**Round Magnetic Chuck Close Pole**

Round Magnetic Chuck

Size: Dia 100 mm

Close Pole Pitch 15 mm (12+3)

Round Magnetic Chuck

Size: Dia 250 mm

Close pole Pitch 15 mm (12+3)

Dia 500 mm

**Round Permanent Magnetic Chuck Close Pole**

Round Permanent Magnetic Chuck

Size: Dia 600 x85 ht pole Pitch 15 mm

Round Permanent Magnetic Chuck

Size: 300xht 70 mm pole pitch 15 mm

**Round Magnetic Chuck**

200x300 mm

Round Magnetic Chuck

Size: Dia 200 mm

Input 110 Vdc

Size: Dia 350 mm

Round Magnetic Chuck

Size: Dia 500x70 mm th

Radial Poles for Ring Shape Work Piece

Working Area 500 Q

Size: Dia 450 mm x70 ht

**Micro Pole Chuck**

Micro Pole Magnetic Chuck

100 Dia x 95 mm L

Size: 200x400 mm

Size: 200x450 mm

Size: 150x450 mm

Size: 150x300 mm

Size: 200x100x70 mm

Size: 100x150 mm

**Permanent Magnetic Micro Pole Chuck****Permanent Magnetic Chuck**

Micro Pole , Size : 450x150 mm

Permanent Magnetic Chuck

Micro Pole, Pole Pitch 1.5 +1 mm (2.5 mm)

High Power, Size: 150x300

Micro Pole Magnetic Chuck

Size: 200x300 mm

Pole Pitch 1.5 +1 mm

Magnetic Chuck

Size: 450x150x65 mm

Pole Pitch 2.5 mm (1.5+1) mm

Micro Pole

Micro Pole Chuck

Size: 150x300

Size: 300x200 mm

pole Pitch 1.5+1 mm (2.5 mm)

Size: 200x500 mm

Pole Pitch 1+1.5 mm

Size: 150x150 mm

**Micro Pole chuck Round**

Micro Pole Round Chuck

Size: Dia 320 mm x 65 mm ht

pole 1.5 +1 mm (2.5 mm)

Holding Force 6-8 kgs/sq/cm

Size: Dia 150 mm

**Sine Chuck**

Size: 100x150

Magnetic Sine Chuck

Size: 300x150 mm

CD 125 mm , Accuracy 2 Micron

Pole Pitch 1.5+1 mm

Single sine Chuck

Size: 250 x 100 mm

Accurecy-.005 mm

Single Sine chuck

Size:: 250 x 200 mm

Accuracy -.005 mm

Size: 150 x200 mm

---

# PRODUCTS RANGE:

SEVOX-PERMANENT MAGNETIC LIFTER  
SEVOX-ELECTRO MAGNETIC LIFTER  
SEVOX-MAGNETIC CHUCK  
SEVOX-ELECTRO MAGNETIC CHUCK  
SEVOX-MAGNETIZER  
SEVOX-DEMAGNETIZER  
SEVOX-MAGNETIC SEPARATOR  
SEVOX-ELECTRO MAGNETIC SEPARATORS  
SEVOX-MAGNETIC ASSEMBLIES  
SEVOX-MAGNETIC SWEEPER  
SEVOX-PICK-UP ROD  
SEVOX-SHEET FLOATER  
SEVOX-DIGITAL GAUSS METER  
OTHER ACCESSORIES

## **SEVENTH INTERNATIONAL**

C-69, DDA Sheds, Okhla Industrial Area,  
Phase-I, Near New Police Station,  
New Delhi-110020 -India

[sales@sevox.net](mailto:sales@sevox.net)

+91 9717123199 / +91 9582222365

---